

:: राजस्थान सरकार ::

कार्यालय प्रधानाचार्य एवं नियंत्रक, डॉ० सम्पूर्णानन्द आयुर्विज्ञान महाविद्यालय एवं संलग्न
चिकित्सालय समूह, जोधपुर।


क्रमांक:एफ.1/सामान्य/आमवि/जो०/

दिनांक

:: कार्यालय आदेश ::

इस महाविद्यालय के विभागाध्यक्ष, सुक्ष्मजीव विज्ञान विभाग एवं प्रभारी अधिकारी बायोमेडिकल वेस्ट मैनेजमेंट को निर्देशित किया जाता है कि हाल ही पैथोलोजी विभाग की एन.ए.बी.एल. ऑडिट के दौरान ब्लड सैंपल्स को बायोमेडिकल वेस्ट रूल्स 2016 की गाइडलाइन्स के अनुसार निस्तारित करने हेतु कहा गया है जिसकी जानकारी विभागाध्यक्ष पैथोलोजी विभाग ने पत्रांक Path/MC/JU/2018/893 दिनांक 26.07.2018 द्वारा दी है।(प्रति संलग्न)

अतः अधीक्षक, सम्बंधित अस्पताल एवं नॉडल ऑफिसर, बायोमेडिकल वेस्ट को उपरोक्तानुसार बायोमेडिकल वेस्ट को निस्तारण करना सुनिश्चित करवाने हेतु निर्देशित किया जाता है।



(डॉ० एस.एस. राठौड़)
प्रधानाचार्य एवं नियंत्रक

क्रमांक:एफ.1/सामान्य/आमवि/जो०/ 13174-81

दिनांक: 27.7.2018

प्रतिलिपि निम्न को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है:-

1. अधीक्षक, संलग्न चिकित्सालय समूह/उम्मेद चिकित्सालय/मथुरादास माथुर चिकित्सालय, जोधपुर।
2. आचार्य एवं विभागाध्यक्ष, पैथोलोजी/माइक्रोबायोलोजी/बायोकेमेस्ट्री/फार्मोकलोजी/एनाटोमी विभाग, मेडिकल कालेज, जोधपुर।
3. अति० अधीक्षक, जिला अस्पताल पावटा/महिलाबाग चिकित्सालय, जोधपुर।
4. अति० अधीक्षक, सैटेलाईट चिकित्सालय प्रतापनगर/मण्डोर/चौपासनी हाउसिंग बोर्ड चिकित्सालय, जोधपुर।
5. प्रभारी आई.टी.सैल, मेडिकल कालेज, जोधपुर उक्त आदेश को अपलोड करावें।
6. नॉडल ऑफिसर बायोमेडिकल वेस्ट, सम्बंधित अस्पताल।


(डॉ० एस.एस. राठौड़)
प्रधानाचार्य एवं नियंत्रक

Gen ✓
~~Micro~~
26/7/18
P & C

**DEPARTMENT OF PATHOLOGY,
DR.S.N. MEDICAL COLLEGE, JODHPUR**

No. Path/MC/JU/ 2018/893

Dated:- 26/07/18


To,
Principal & Controller,
Dr. S.N. Medical College,
Jodhpur.


Subject:-Regarding directions to Microbiology department to follow the sample discard policy 2016.

Sir,

In reference to above cited subject it is requested that during final audit of NABL, one of the major nonconformity of all three hospital laboratories was related to sample discard policy (copy of NC enclosed.)

I request you to kindly instruct Nodal officer BMW management and HOD, Microbiology department to do needful in above said matter.




Sr. Professor & Head
Department of Pathology
Dr. S.N. Medical College,
Jodhpur.

ASSESSOR'S SUMMARY ON NON-CONFORMITIES

(Please use separate sheet for raising each Non-Conformity)

Laboratory: Pathology Laboratories of Dr.S.N.Medical College, Jodhpur (Mahatama Gandhi Hospital)			
Date: 21 st & 22 nd July, 2018	Discipline: Hematology, CI.Pathology and Cytopathology	Activity Assessed: <i>Recovery of sample</i>	
NC No. 3	Reference to Observation No. in NAF-2: 9.		
NON-CONFORMITIES (NC) RAISED: <i>The samples are currently being discarded after opening the top into sodium hypochlorite and then cleaned in the sunny top wash. The same is being done by at MDM (Mathura das Mathur) hospital.</i>			
Reference to ISO 15189:2012 Clause No.:	Classification of Non-Conformities: <u>MAJOR</u> /MINOR		
NABL 133 Clause No. (if applicable) - 5.7.2.			
<i>Omveer</i> Signature & Name Authorized Representative of Lab	<i>Shakti Chandra</i> Signature & Name of Assessor		
CORRECTIVE ACTION PROPOSED BY THE LABORATORY: <i>Now we will follow the sample discard policy and subjective evidence will be send to NABL</i>			
<i>Omveer</i> Signature & Name Authorized Representative of Laboratory			
ASSESSOR'S COMMENTS ON CORRECTIVE ACTION PROPOSED BY THE LABORATORY: <i>The NC closure to be submit to NABL</i>			
<i>Shakti Chandra</i> Signature of Assessor			
REMARKS BY LEAD ASSESSOR, IF ANY: <i>reopen</i>			
<i>D. Kumar</i> Signature & Name of Lead Assessor			

National Accreditation Board for Testing and Calibration Laboratories

Doc. No: NABL 217	Assessment Forms and Checklist (based on ISO 15189:2012)		
Issue No: 05	Issue Date: 19-Apr-2016	Amend No: 04	Amend Date: 02-May-2018
			Page No: 11/92