

30. Department wise list of Faculty Members

Department	Name of the faculty	Current Designation & Date of promotion	Nature of employment Regular/ permanent or contract/outsourced	Details of Service in the Last 5 years					Number of lectures taken/year Topic covered
	Qualification								
	IMR								
	Number			21-22	20-21	19-20	18-19	17-18	
Anaesthesia	Dr. Indira Kumari, MBBS, MD, RMC-3074	Sr. Professors, 31-12-2008	Regular	RNT MC	RNT MC	RNT MC	RNT MC	RNT MC	25, General Anaesthesia, regional anaesthesia, critical care and sub speciality anaesthesia
	Dr. Lalit Kumar Raigar, MBBS, MD, RMC-3148	Sr. Professors, 29-12-2008	Regular	RNT MC	RNT MC	RNT MC	RNT MC	RNT MC	25, General Anaesthesia, regional anaesthesia, critical care and sub speciality anaesthesia
	Dr. Devendra Verma, MBBS, MD, RMC-4346	Sr. Professors, 01/04/15	Regular	RNT MC	RNT MC	RNT MC	RNT MC	RNT MC	25, General Anaesthesia, regional anaesthesia, critical care and sub speciality anaesthesia
	Dr. Khemraj Meena, MBBS, MD, RMC-6292	Sr. Professors, 01/04/15	Regular	RNT MC	RNT MC	RNT MC	RNT MC	RNT MC	25, General Anaesthesia, regional anaesthesia, critical care and sub speciality anaesthesia
	Dr. Utida Naithani, MBBS, MD, RMC-6084	Sr. Professors, 01/04/15	Regular	RNT MC	RNT MC	RNT MC	RNT MC	RNT MC	25, General Anaesthesia, regional anaesthesia, critical care and sub speciality anaesthesia
	Dr. Vikram Bedi, MBBS, MD, RMC-7372	Sr. Professors, 01/04/17	Regular	RNT MC	RNT MC	RNT MC	RNT MC	RNT MC	25, General Anaesthesia, regional anaesthesia, critical care and sub speciality anaesthesia
	Dr. Ravindra Kumar Gehlot, MBBS, MD,RMC-9658	Asso. Professor, 01/04/19	Regular	RNT MC	RNT MC	RNT MC	RNT MC	RNT MC	25, General Anaesthesia, regional anaesthesia, critical care and sub speciality anaesthesia
	Dr. Sandeep Sharma, MBBS, MD, RMC-9665	Asso. Professor, 01/04/19	Regular	RNT MC	RNT MC	RNT MC	RNT MC	RNT MC	25, General Anaesthesia, regional anaesthesia, critical care and sub speciality anaesthesia
	Dr. Surendra Kumar Sathi, MD, RMC-9187	Asso. Professor, 01/04/19	Regular	RNT MC	JLN MC	JLN MC	JLN MC	JLN MC	25, General Anaesthesia, regional anaesthesia, critical care and sub speciality anaesthesia
	Dr. Hemraj Tungaria, MBBS, MD, RMC-9612	Asso. Professor, 01/04/19	Regular	RNT MC	RNT MC	RNT MC	RNT MC	RNT MC	25, General Anaesthesia, regional anaesthesia, critical care and sub speciality anaesthesia
	Dr. Basant Kumar Dindor, MBBS, MD, RMC-11095	Asso. Professor, 01/04/20	Regular	RNT MC	RNT MC	RNT MC	RNT MC	RNT MC	25, General Anaesthesia, regional anaesthesia, critical care and sub speciality anaesthesia
	Dr. Santosh, MBBS, MD,	Asstt. Prof., 02/08/17	Regular	RNT MC	RNT MC	RNT MC	RNT MC	RNT MC	25, General Anaesthesia, regional anaesthesia, critical care and sub speciality anaesthesia

Dr. Rajiv Navaria, MBBS, MD, RMC-11169	Asstt. Prof., 26/08/17	Regular	RNT MC	25, General Anaesthesia, regional anaesthesia, critical care and sub speciality anaesthesia				
Dr. Shweta Jain, MBBS, MD, RMC-31270	Asstt. Prof., 03/07/21	Regular	RNT MC					25, General Anaesthesia, regional anaesthesia, critical care and sub speciality anaesthesia
Dr. Arti Kuldeep, MBBS, MD, RMC-12702	Asstt. Prof., 05/07/21	Regular	RNT MC					25, General Anaesthesia, regional anaesthesia, critical care and sub speciality anaesthesia
Dr. Bishan Kumar Bairwa, MBBS, MD, RMC-17584	Asstt. Prof., 28-09-2015	contract	RNT MC	25, General Anaesthesia, regional anaesthesia, critical care and sub speciality anaesthesia				
Dr. Muni Ram Meena, MBBS, MD,	Asstt. Prof., 17-12-2015	contract	RNT MC	20, General Anaesthesia, regional anaesthesia, critical care and sub speciality anaesthesia				
Dr. Mahesh Somani, MBBS, MD, RMC-13764	Asstt. Prof., 07/03/20	contract	RNT MC	RNT MC				20, General Anaesthesia, regional anaesthesia, critical care and sub speciality anaesthesia
Dr. Ankush Kumar Garg, MBBS, MD, RMC-15020	Asstt. Prof., 07/03/20	contract	RNT MC	RNT MC				20, General Anaesthesia, regional anaesthesia, critical care and sub speciality anaesthesia
Dr. Vikram singh, MBBS, MD, RMC-21075	SR, 23/11/2021	contract	RNT MC					
Dr Lekha salvi, MBBS, MD, RMC-22565	SR, 2/8/21	contract	RNT MC					
Dr. Jitendra awasthi, MBBS, MD, RMC-22928	SR, 28/10/21	contract	RNT MC					
Dr. Sunita Chawla, MBBS, MD RMC-22385	SR, 30/9/21	contract	RNT MC					
Dr. Ajit singh baghela, MBBS, MD	SR, 28/10/21	contract	RNT MC					
Dr. Manoj Choudhary, MBBS, MD	SR, 19/8/21	contract	RNT MC					
Dr. Saurav Adity Das, MBBS, MD, RMC-23098	SR, 20/11/21	contract	RNT MC					
Dr. Rajendra Pal, MBBS, MD	SR, 6/12/21	contract	RNT MC					

N.B.

1. Publications by faculty should be attached as annexure.
2. Publications should be quoted in Vancouver referencing style.
3. Medical Educator Training/ research methodology and dates

*To be updated every new session/academic year**To be updated on 1st October each year

ANNEXURE-1

Sr. No	Faculty Name	Publication in Vancouver referencing style.	Pubmed Indexed Yes/No	Scopes
1	Sandeep Sharma	Sneha Arun Betkekar*, Udita Naithani, <u>Sandeep Sharma</u> , Indra Kumari. Bronchospasm Under Spinal Anesthesia : A Report of Two Cases, with a Literature Review. IJHSRN 2015; 5(11):406-411.		
2	Sandeep Sharma	Indira Kumari, <u>Sandeep Sharma</u> *, Karthik Surendran, Udita Naithani, Shekhar Suman Sa Ravish Yadav. Effect Of Dexmedetomidine On Bleeding During Endoscopic Nasal Surge Double Blind, Randomized, Clinical Study. EJPMR 2016;3(12):290-94.		
3	Sandeep Sharma	Indira Kumari, Vikas Sharma*, Udita Naithani, <u>Sandeep Sharma</u> , Charu Sharma, Ankush Comparison Of Intravenous Paracetamol As Preemptive And Preventive Analgesic In Pa Undergoing Pyelolithotomy: A Prospective, Randomised Double Blind, Comparative Study. E 2016;3(10):332-37.		
4	Sandeep Sharma	Nikita Baser, <u>Sandeep Sharma</u> * , Indira Kumari, Pritam Yadav, Mohit Birla, Megha A Preoperative Palonosetron And Dexamethasone In Prevention Of Postoperative Nausea Vomiting In Middle Ear Surgery: A Prospective Randomised Double Blind Controlled Study. I 2017 ;4(3):199-209.		
5	Sandeep Sharma	<u>Sandeep Sharma</u> , Mahesh Soman, Madhan Chandramohan, Lalit K. Raiger*. Evaluating the of dexmedetomidine premedication on the quality of subarachnoid block, haemodynamic sedation in patients undergoing lower limb surgeries: a prospective randomized controlled IJRMS 2017 Dec;5(12):5410-5417.		
6	Sandeep Sharma	Khemraj Meena, Santosh*, <u>Sandeep Sharma</u> . Evaluation Of Dexmedetomidine In Attenuati Sympathoadrenal Responses To Laryngoscopy And Intubation. IJAR 2018;8(7):204-206.		
7	Sandeep Sharma	Lalit K Raiger, <u>Sandeep Sharma</u> * , Pramod Jain, Shailendra Pareek. Intrathecal low bupivacaine with fentanyl or clonidine in TURP surgery: a prospective randomised double study. Academia Anesthesiologica International 2018;3(2):13-17.		
8	Sandeep Sharma	<u>Sandeep Sharma</u> , Choudhary Santosh*, Bedi Vikram, Singhal Yogendra. Comparative eval of different doses of intravenous clonidine in attenuation of haemodynamic respons laryngoscopy and intubation. Indian J Anesth Analg may-jun 2019;6(3):997-1005.		

9	Sandeep Sharma	Priyanka Gupta, <u>Sandeep Sharma</u> *, Indira Kumari. To Assess the Efficacy and Safety Profile of Preemptive Epidural Dexmedetomidine in the Patients Undergoing Upper Abdominal Surgery Under General Anesthesia: A Prospective Randomized Double Blind Study. Indian J Anaesth 2019;6(6 Part - II):2225-2233.	
10	Sandeep Sharma	Vikram Bedi, Sandeep Kumar, <u>Sandeep Sharma</u> , Monika Gupta, Jyoti Gaikwad. An evaluation of impact of anaesthesiologist's experience on prediction of difficult airway. IJAS 2020; 2(1): 01	
11	Sandeep Sharma	Shivani Gajpal, <u>Sandeep Sharma</u> , Santosh, Lalit K Raiger*. Comparative evaluation of conventional to left molar and right molar laryngoscopy and endotracheal intubation. IJAS 2020; 2(1): 05-10	
12	Sandeep Sharma	Gupta M, Kumari I*, <u>Sharma S</u> , Aggarwal A. Evaluation of the efficacy of MgSO4 as an Adjunct to Ropivacaine and Fentanyl for Labour Analgesia. J Obstet Anaesth Crit Care 2020; 10:10-5	
13	Sandeep Sharma	Dr Khemraj Meena, Dr Lalaram*, Dr Santosh Choudhary, <u>Dr Sandeep Sharma</u> , Dr Jyoti Gael, Dr Indira Kumari. Evaluation of prophylactic ketamine gargle for the attenuation of postoperative sore throat following general anaesthesia with orotracheal intubation: A prospective randomised control study. IJAS 2020;2(1):11-15	
14	Sandeep Sharma	Choudhary S, <u>Sharma S*</u> , Kumari I, Kalluraya S, Meena K, Dave T. Comparative evaluation of oral melatonin and oral clonidine for the attenuation of haemodynamic response to laryngoscopy and tracheal intubation - A prospective randomised double blind study. Indian J Anaesth 2020;64:696-703	yes
	Dr. Devendra Verma	Tungaria H, Verma AP, Khandelwal M, Verma D . A comparative evaluation of different types of hydroxylethyl starch on the blood sugar and sugar electrolytes level. Med Pulse IJA 2020 Feb; 13(2):52-60.	
	Dr. Devendra Verma	Bayer R, Verma D . Clinical efficacy of isobaric ropivacaine fentanyl and ropivacaine dexmetomidine in spinal anaesthesia for vaginal hysterectomy: A prospective randomized double blind comparative study. Med Pulse IJA 2019; 10(1):1-5.	
	Dr. Devendra Verma	Bayer R, Verma D . Comparative study of intrathecal fentanyl and dexmeditomidine as adjuvant with isobaric ropivacaine in spinal anaesthesia for vaginal hysterectomy. Med Pulse IJA 2019; 10(3):206-210.	
	Dr. Devendra Verma	Didwania D, Verma D , Avinash, Gehlot RK, Dindor BK. A randomized double blind comparative study of analgesic efficacy of different doses of intrathecal	

		nalbupine in patients undergoing abdominal hysterectomy. Med Pulse IJA 2019; 15(3):253-259.		
Dr. Devendra Verma		Verma D , Gehlot RK, Goda V, Macchar M, Naithani U, Didwania D, Singh S. Spinal anaesthesia using isobaric levobupivacaine alone and with fentanyl for lower abdominal surgery: A randomized double blind controlled trial. J Evolution Med Dent Sci 2017; 6(36):2968-2972.		
Dr. Devendra Verma		Naithani U, Verma D , Thanvi A, Bayer R. Accidental intrathecal administration of dopamine in spinal anaesthesia for caesarean section: A case report. Egyptian Journal of Anaesthesia 2017; (33):205-207.		
Dr. Devendra Verma		Saxena SS, Naithani U, Verma D, Singhal Y. Low spinal anesthesia for cesarean section in patient with Takayasu's arteritis: A case report with literature review IJHSR 2016; 6(1):564-570.		
Dr. Devendra Verma		Naithani U, Betkekar SA, Verma D , Gehlot RK, Sundararaj R. Pin index safety system and colour coding: is it enough? A case report. Ain-Shams Journal of Anaesthesiology 2016; 9:626-628.		
Dr. Devendra Verma		Verma D, Garg AK, Naithani U, Barya S, Bugaliya P, Sharma V. Clinical efficacy of isobaric ropivacaine alone and with fentanyl in spinal anaesthesia for vaginal hysterectomy: a prospective, randomized, comparative study. ejpmr, 2016,3(9), 223-228.		
Dr. Devendra Verma		Thanvi A, Naithani U, Betkekar SA, Verma D , Dindor BK. Bilateral carpal spasm under spinal anaesthesia during abdominal hysterectomy: A case report. Journal of Clinical and Diagnostic Research, 2016; 10(1):UD03-UD04.		
Dr. Vikram Bedi		Kumari I, Sharma K, Bedi V , Mohan M, Tungaria H, Modi MK. Comparison of ropivacaine (0.2%) with or without clonidine 1 µg/ kg for epidural labor analgesia: A randomized controlled study. J Anaesthetol Clin Pharmacol 2018;34:18-22.		
Dr. Vikram Bedi		Bedi V , Petkar J, Dindor BK, Narang A, Tungeria H. Perineural versus intravenous clonidine as an adjuvant to bupivacain in supraclavicular brachial plexus block, Egyption journal of anaesthesia vol,33 issue 3 ,July 2017.		
Dr. Vikram Bedi		Bedi V , Vaz M, Tungaria H, Betkekar S. An evaluation of the effect of addition of clonidine to lignocaine for intravenous regional anaesthesia of the upper limb; J.Hosp.Pharmacy 12(1) Jan. to March, 2017.(supplementary issue -A)		
Dr. Vikram Bedi		Kumari I, Tungeria H, Swain L, Bedi V , Sharma S, Upadhyay P. Comparison of electrostimulation guided vertical infraclavicular block vresus transarterial axillary block for upper limb orthopedics surgery ;a randomised prospective clinical study, European journal of pharmaceutical and medical research ejpmv 2016,3(11) 464-471,2016.		

	Dr. Vikram Bedi	Dave M, Vijayvargiya R, Poswal L, Bedi V, Sharma M, Deval N. Study of covid-19 seroprevalence among healthcare workers at dedicated covid hospital in southern rajasthan. indian journal of clinical practice, vol. 31, no. 2, july 2020.		
	Dr. Vikram Bedi	Vikram Bedi, Sandeep Kumar, <u>Sandeep Sharma</u> , Monika Gupta, Jyoti Gaikwad. An evaluation of impact of anaesthesiologist's experience on prediction of difficult airway. IJAS 2020; 2(1): 01		
	Dr. Vikram Bedi	Dave M, Sharma M, Poswal L, Bedi V, Deval N, Vijayvargiya R. "Epidemiology, clinical profile and outcome of covid. International Journal of Current Research Vol. 12, Issue, 06, pp.11914-11918, June, 2020.		
	Dr. Vikram Bedi	Bedi V, Dave M, Deval NS, Sharma M, Raiger LK, Vijayvargiya R. Comorbidities, Organ Dysfunction and Mortality in Critically ill COVID Patients in South Rajasthan: A Retrospective Study. Int J Med Res Prof.2020 May; 6(3).		
	Dr. Indira kumari	Dr indira kumai,Dr RK gehlot ,dr R verma ,dr A narang ,dr verma V ,DR K P suwal ,Comparison of the different doses of dexmetedomedine added to ropivacain in patient posted for upper limb surgery under supraclavicular brachial plexus block,Anaesthesia pain and intensive care 21(2) ;141-146,2017		
	Dr. Indira kumari	Kumari I,Naithani U, Dadheech VK, Pradeep DS, Meena K, Verma D. Attenuation of presser response following intubation: Efficacy of nitro-glycerine lingual spray.Jouran of anesthesiology clinical pharmacology Jan-march 2016		
	Dr. Indira kumari	Kumari I, Tungeria H, Swain L, Bedi V , Sharma S, Upadhyay P. Comparison of electrostimulation guided vertical infraclavicular block vresus transarterial axillary block for upper limb orthopedics surgery ;a randomised prospective clinical study, European journal of pharmaceutical and medical research ejpmv 2016,3(11) 464-471,2016.		
	Dr. Indira kumari	Dr indra kumari,dr sandeep sharma dr karthik surendra dr udita naithani dr shekhar suman saxena dr ravish yadav ,Effect of dexamedetomedine on bleeding during endoscopic nasal surgery ; a double blind randomised clinical study,EJPMR ; 3(12) :290-294,2016		
	Dr. Indira kumari	Dr indra kumari,Dr vikas sharma dr udita naithani dr sandeep sharma dr charu sharma dr ankush garg,Comparison of intravenous paracetamol as preemptive and preventive analgesic in patient undergoing pyelolithotomy ;a prospective randomised double blind comparative study,EJPMR 2016 ;3(10) 332-337,2016		

	Dr Khemraj Meena	Meena K, Santosh , Sharma S: Evaluation of dexmedetomidine in attenuation of sympathoadrenal responses to laryngoscopy and intubation. Indian Journal of applied research july 2018.		
	Dr Khemraj Meena	Meena K ,Gehlot RK, Bairwa BK, Verma M,dr V Amera V, Paliwal B. Isobaric ropivacaine 0.5% v/s 0.75% in spinal anaesthesia for lower limb procedure ; a double blinded randomised comparative study ,J .hospital pharmacy 12 (2) ; 77-87,April to june 2017.		
	Dr. Udita Naithani	Indira Kumari,Naithani U, Dadheech VK, Pradeep DS, Meena K, Verma DAttenuation of presser response following intubation: Efficacy of nitro-glycerine lingual spray.Jouran of anesthesiology clinical pharmacologyJan-march 2016		
	Dr. Udita Naithani	dr udita naithani,Dr meena P, DR CM mohan ,dr A narang , dr devendra verma,Clinical efficacy of isobaric levobupivacaine in spinal anaesthesia for abdominal and vaginal hysterectomies,Int ,journal recent sci res 7(7) page,12555-12560,July 2016		
	Dr. Udita Naithani	Dr gupta S ,dr udita naithani dr madhanmohan C dr A singh , dr reddy P , dr A gupta ,A Evaluation of decision to delivery interval in emergency cesarean section ;a 1 yr prospective audit in a tertiary care hospital ,Journal anaesthesiol clinical pharmacol ;33:64-70,2017		
	Dr. Udita Naithani	Madhanmohan C., Udita Naithani, Megha Gupta, Virendra Verma, Pankaj Damor. Comparision of Isobaric Levobupivacaine versus Hyperbaric Bupivacaine in Spinal anaesthesia for Cesarian section :A prospective Randomized case control study. IJCA: vol.5 issue 4 2018		
	Dr. Udita Naithani	Dr monika gupta dr udita naithani, dr geeta singariya dr sunanda gupta Camparision of 0.25% ropivacaine for intraperitoneal instillation v/s rectus sheath block for postoperative pain relief following laparoscopic cholecystectomy,Journal of clinical and diagnostic research ,Aug 2016		
	Dr. Udita Naithani	Singhal Y, Naithani U, Partani S, , Raiger L K, Bedi V, Intraoperative sedation during regional anaesthesia (Caudal epidural anaesthesia) in paediatric patients: Role of intravenous dexmedetomidine. Indian J Clin Anaesth 2018;5(4):591-595		
	Dr. Udita Naithani	Gupta Monika, Damor, Pankaj Naithani Udita,Verma Ritu, Yadav Ansika. Comparison of ketofol versus propofol for procedural sedation and analgesia in cervical		

		cancer brachytherapy: A prospective, randomized double blind study Indian Journal of Clinical Anaesthesia 2021;8(1) :55-61		
	Dr. Udita Naithani	Madhanmohan C, Naithani U, Gupta M, Verma V, Damor P. Comparison of isobaric levobupivacaine versus hyperbaric bupivacaine in spinal anesthesia for cesarean section: A prospective randomized case control study. Indian J Clin Anaesth. 2018;5(4):549-555		
	Dr. Udita Naithani	Verma VK, Navaria R, Naithani U, Goyal A, Das SA. Low dose spinal anaesthesia for caesarean section in parturients having pregnancy induced hypertension: Effect on haemodynamic response and vasopressor requirement: A prospective randomized double blind case control study. Indian J Clin Anaesth 2020;7(1):104-111		
	Dr. Udita Naithani	Verma D, Gehlot RK, Goda V, et al. Spinal anaesthesia using isobaric levobupivacaine alone and with fentanyl for lower abdominal surgery- a randomised double blinded controlled trial. J. Evolution Med. Dent. Sci. 2017;6(36):2968-2972, DOI: 10.14260/Jemds/2017/639		
	Dr. Udita Naithani	Gupta S, Naithani U, Madhanmohan C, Singh A, Reddy P, Gupta A. Evaluation of decision -to-delivery interval in emergency cesarean section:A 1-year prospective audit in a tertiary care hospital. J Anaesthesiol Clin Pharmacol 2017;33:64-70		
	Dr. Lalit Kumar Raiger	Sandeep Sharma, Mahesh Somani, Madhan Chandramohan, Lalit K. Raiger*. Evaluating the effect of dexmedetomidine premedication on the quality of subarachnoid block, haemodynamic sedation in patients undergoing lower limb surgeries: a prospective randomized controlled IJRMS 2017 Dec;5(12):5410-5417.		
	Dr. Lalit Kumar Raiger	Lalit K Raiger, Sandeep Sharma*, Pramod Jain, Shailendra Pareek. Intrathecal low bupivacaine with fentanyl or clonidine in TURP surgery: a prospective randomised double study. Academia Anesthesiologica International 2018;3(2):13-17.		
	Dr. Lalit Kumar Raiger	Shivani Gajpal, Sandeep Sharma, Santosh, Lalit K Raiger*. Comparative evaluation of conventional to left molar and right molar laryngoscopy and endotracheal intubation. IJAS 2020; 2(1): 05-10		
	Dr. Lalit Kumar Raiger	Bedi V, Dave M, Deval NS, Sharma M, Raiger LK, Vijayvargiya R. Comorbidities, Organ Dysfunction and Mortality in Critically ill COVID Patients in South Rajasthan: A Retrospective Study. Int J Med Res Prof.2020 May; 6(3).		

	Dr. Lalit Kumar Raiger	Raiger LK, Tyagi G, Gehlot RK. Comparision of Postoperative Analgesia Provided By Multilevel Thoracic Paravertebral Block Using Bupivacaine (0.5%) Alone & With Clonidine in Breast Surgery: A Prospective Double Blind Study. EAS J Anesthesiol Crit Care; Vol-1, Iss-4 (July-Aug, 2019): 83-87.		
	Dr. Lalit Kumar Raiger	Dr. Muniram Meena, Dr Hemraj Tungria, Dr Garima Tyagi, Dr Anisha Banu, Dr Lalit Kumar Raiger: To compare analgesic efficacy of clonidine and fentanyl in supraclavicular block with 0.75% Ropivacaine. Indian Journal of Clinical Anaesthesia, October-December, 2018;5(4):518-522.		
	Dr. Lalit Kumar Raiger	Gehlot RK, Raiger LK , Verma. Nasotracheal intubation using light wand in a patient with anticipated difficult laryngoscopy: A case report. World Journal of Advance Healthcare Research Volume 5, Issue 1. 2021.		
	Dr. Lalit Kumar Raiger	Raiger LK, Tyagi G, Gehlot RK. Comparision of Postoperative Analgesia Provided By Multilevel Thoracic Paravertebral Block Using Bupivacaine (0.5%) Alone & With Clonidine in Breast Surgery: A Prospective Double Blind Study. EAS J Anesthesiol Crit Care; Vol-1, Iss-4 (July-Aug, 2019): 83-87.		
	Dr. Lalit Kumar Raiger	Raiger LK, Gehlot RK, Goswami S. Anaesthetic considerations in a child with Urbach Wiehe disease posted for removal of cheek swelling Indian J Anaesth 2020;64:982-3.		
	Dr. Lalit Kumar Raiger	Gehlot RK, Verma D, Raiger LK. A challenging case of a successful outcome of cesarean section with combined spinal epidural technique in a parturient with Eisenmenger syndrome. Ain-Shams Journal of Anesthesiology (2021) 13:6.		
	Dr Arti Kuldeep	Kuldeep A, Gehlot R, Sharma M, Jangir KG, Raiger LK. Comparision of analgesic efficacy of ropivacaine and bupivacaine in rectus sheath block for midline abdominal surgeries. Indian J Clin Anaesth 2020;7(2):219-225.		
	Dr Arti Kuldeep	Kuldeep A, Raiger LK, Sharma S, Jangir KG. Evaluation of low dose hyperbaric bupivacaine with or without fentanyl in perianal surgeries: A prospective randomized double blind trial. Indian J Clin Anaesth 2021;8(1):38-44.		
	Dr. Basant Kumar Dindor	Bedi V, Petkar J, Dindor BK, Narang A, Tungeria H. Perineural versus intravenous clonidine as an adjuvant to bupivacain in supraclavicular brachial plexus block, Egyption journal of anaesthesia vol,33 issue 3 ,July 2017.		
	Dr. Basant Kumar Dindor	Didwania D, Verma D, Avinash, Gehlot RK, Dindor BK. A randomized double blind comparative study of analgesic efficacy of different doses of		

		intrathecal nalbuphine in patients undergoing abdominal hysterectomy. MedPulse International Journal of Anesthesiology. 2019;12(3):253-259.		
Dr. Basant Kumar Dindor		Verma D, Gehlot RK , Dindor BK, Jat B, Chaudhary M, Didwania D. Clinical efficacy of isobaric ropivacaine alone and with dexmedetomidine in spinal anesthesia for abdominal hysterectomy: a prospective randomised double blind study. M.E.J. ANESTH 2021;28(1):29-35.		
Dr. Basant Kumar Dindor		Tungaria H, Dindor BK, Raiger LK, Saxena SS, Mathur S :Anticipated Difficult Airway in Posterior Neck Swellings: A Report of Two Cases and Literature Review, International Journal of Health Sciences & Research 308 Vol.6; Issue: 3; March 2016		
Dr lekha salvi		Comparative study of different doses of dexmedetomidine as an adjuvant to intrathecal hyperbaric bupivacaine in lower limb orthopaedic surgeriesVolume - 9 Issue - 10 October - 2020 PRINT ISSN No. 2277 - 8179 DOI : 10.36106/ijsr		
Dr lekha salvi		Intrathecal 1% 2 chlorprocaine v/s 0.5% hyperbaric bupivacaine in ambulatory surgeriesVolume - 9 Issue - 10 October - 2020 PRINT ISSN No. 2277 - 8179 DOI : 10.36106/ijsr		
Dr. Surendra kumar sethi		<ol style="list-style-type: none"> 1. Lamba S, Sethi SK, Patodi V, Jain N, Mathur P, Chaudhuri K. Comparison of predictors of difficult intubation. Int J Clin and Biomed Res. 2016;2(1): 20-24. 2. Lamba S, Sethi SK, Khare A, Saini S. Intraoperative wide bore nasogastric tube knotting: A rare incidence. Anesth Essays Res 2016;10:104-6. 3. Sethi SK, Jain N, Khare A, Singhal V. Anesthetic management of a patient with atrial fibrillation posted for emergency exploratory laparotomy for perforation peritonitis: A review of literature. Anaesth Pain & Intensive Care 2016;20(2):240-243. 4. Jain K, Sethi SK, Kumar V, Jain N, Mathur V, Depal V. A prospective randomized study for comparison of epidural 0.5% levobupivacaine with 0.5% racemic bupivacaine using fentanyl as common adjuvant in lower limb orthopedic surgeries. Indian Journal of Clinical Anaesthesia 2016;3(3): 460-467. 5. Mathur V, Garg D, Jain N, Singhal V, Khare A, Sethi SK. A comparative study of propofol and N2O versus sevoflurane and N2O with respect to haemodynamic response and ease of laryngeal mask airway insertion: a prospective randomized double blinded study. Int J Res Med Sci 2016;4:3421-6. 6. Jain K, Sethi SK, Jain N, Saini S, Khare A. Comparison of intubating conditions and hemodynamics during rapid sequence induction and intubation using propofol and rocuronium with low dose ephedrine and without ephedrine. Anaesth Pain & Intensive Care 2016;20(3):320-327. 7. Jain N, Mathur PR, Khan S, Khare A, Mathur V, Sethi S. Effect of bispectral index versus end tidal anesthetic gas concentration guided protocol on time to tracheal extubation for halothane based general anesthesia. Anesth Essays Res 2016;10:591-596. 8. Saini S, Patodi V, Sethi SK, Jain N, Mathur P, Thada B. Comparison of caudal epidural clonidine with fentanyl as an adjuvant to ropivacaine 0.25% for postoperative analgesia in children undergoing various infraumbilical surgeries: A prospective randomized 		

	<p>study. Ain-Shams J Anaesthesiol 2016;9:493–500.</p> <ol style="list-style-type: none"> 9. Khare A, Mathur V, Jain K, Sethi SK, Garg D, Vishnoi R. A prospective randomized study for comparison of haemodynamic changes and recovery characteristics with propofol and sevoflurane anaesthesia during laparoscopic cholecystectomies. Int J Res Med Sci 2016;4:5241-7 10. Patodi V, Singh M, Sethi SK, Depal VN, Jain N, Kumar V. A comparative study between ProSeal laryngeal mask airway and endotracheal tube for ease of insertion and haemodynamic changes in patients undergoing laparoscopic cholecystectomy under general anaesthesia. Int J Res Med Sci 2016;4:5334-40. 11. Jain K, Sethi SK, Damor M, Jain N. Effects of inhaled nitrous oxide on the induction dose and time requirements of propofol: A prospective, randomized, double-blind study. Anesth Essays Res 2017;11:174-80. 12. Sethi SK, Jain N, Khare A, Patodi V. Anaesthetic management in a case of large plunging ranula with difficult airway: A case report. Egypt J Anaesth 2017; 33:209-212. 13. Thada B, Khare A, Sethi SK, Meena S, Verma M. Comparison of dexmedetomidine and fentanyl as intrathecal adjuvants to 0.5% hyperbaric bupivacaine for total abdominal hysterectomy under subarachnoid block: A prospective randomized double blind study. Anaesth Pain & Intensive Care 2017;21(1):65-72. 14. Patodi V, Singh M, Jain K, Jonwal K, Sethi SK, Jain N. A comparative study to evaluate the intubating conditions between propofol-sevoflurane and propofol alone without using neuromuscular blocking agents. Indian J Anaesth Analg 2017;4(2):383-390. 15. Garg D, Mathur V, Meena R, Khare A, Sethi SK, Thada B. A prospective randomized study for comparison of onset time of intubation and intubating conditions using rocuronium with priming and without priming. Int J Med Res Rev 2017;5(05):531-537. doi:10.17511/ijmrr. 2017.i05.15. 16. Sethi SK, Jain K, Chaudhuri K. Comparison of Pretreatment Effect of Ondansetron and Low Dose Lignocaine in Reducing Propofol Induced Pain on Injection: A Prospective Randomized Study. Indian J Anaesth Analg 2017;4(3):894-901. 17. Sethi SK, Jain N, Jain K, Thada B. Efficacy of Low-dose Intravenous Ketamine vs Intravenous Tramadol Infusion for Postcesarean Section Analgesia following Spinal Anesthesia: A Prospective, Randomized, Double-blinded Clinical Study. Res Inno in Anesth 2018;3(1):1-7. 18. Sethi SK, Jain K, Jain N, Yadav SL. Anesthetic management for a cesarean section in a parturient with huge vulvar and lower limbs elephantiasis: a case report. Journal of Society of Anesthesiologists of Nepal (JSAN) 2017;4(2):110-112. 19. Jain K, Sethi SK, Yadav SL, Mathur V, Thada B, Garg D. Dexmedetomidine enhances the efficacy of 0.25% ropivacaine for postoperative analgesia in pediatric caudal 	
--	--	--

	<p>epidurals. Anaesth Pain & Intensive care 2018;22(2):199-206.</p> <p>20. Khare A, Thada B, Jain N, Singh D, Singh M, Sethi SK. Comparison of effects of oral melatonin with oral alprazolam used as a premedicant in adult patients undergoing various surgical procedures under general anesthesia: A prospective randomized placebo-controlled study. Anesth Essays Res 2018;12:657-62.</p> <p>21. Patodi V, Upreti B, Sethi SK, Jain N, Gurjar SS. A prospective randomized double blind study to compare the effects of dexmedetomidine and fentanyl on intubating conditions during awake fiberoptic bronchoscopy guided intubation. Indian J Clin Anaesth. 2018;5(3):415-422.</p> <p>22. Jain K, Sethi SK, Jain N, Patodi V. Anaesthetic management of a huge occipital meningoencephalocele in a 14 days old neonate. Ain-Shams Journal of Anesthesiology. 2018 Dec;10(1):1-4.</p> <p>23. Mathur V, Trivedi P C, Garg D K, Khare A, Sethi S. Effect of intraoperative iv dexmedetomidine on emergence agitation after sevoflurane anaesthesia in children undergoing tonsillectomy with or without adenoidectomy. Indian J Clin Anaesth. 2018;5(4):496-500.</p> <p>24. Jain N, Sethi SK, Mathur V, Patodi V, Gurjar SS, Singh S. A retrospective study to assess the outcome of ventilator support in patients with H1N1 (swine flu) influenza in isolation ICU: Our institutional experience. Ajaymeru Journal of Medical Education and Research 2018, Vol. 1, Issue 1, 29-35.</p> <p>25. Jain N, Mathur PR, Soni P, Patodi V, Sethi SK, Mathur V. A comparative clinical study of intrathecal bupivacaine 2.5 mg with dexmedetomidine 5 µg versus intrathecal bupivacaine 2.5 mg with fentanyl 25 µg on the duration of labor analgesia using combined spinal epidural technique. J Obstet Anaesth Crit Care 2019;9:24-9.</p> <p>26. Jain K, Sethi SK, Gupta S, Khare A. Efficacy of nalbuphine as an adjuvant to 0.5% ropivacaine for ultrasound-guided supraclavicular brachial plexus block in upper limb surgeries: A prospective randomized double-blind study. Indian Anaesth Forum 2019;20:82-8.</p> <p>27. Jain K, Thada B, Sethi SK. Anesthetic management in a super obese parturient undergoing elective caesarean section: A case report. J Obstet Anaesth Crit Care 2019;9:109-12.</p> <p>28. Patodi V, Yadav RL, Sethi SK, Jain N, Singh M. A comparative study between two different doses of oral pregabalin in attenuating hemodynamic response to laryngoscopy and endotracheal intubation. Anaesth pain intensive care 2020;24(1):28- 35.</p> <p>29. Mathur V, Jain K, Sharma K, Garg DK, Khare A, Sethi SK. Comparative study of dexmedetomidine and magnesium sulphate as adjuvant to epidural bupivacaine in lower limb orthopaedic surgery. RUHS Journal of Health Sciences 2020;5(2):66-73.</p> <p>30. Jain K, Sethi SK, Jain R. Comparison of efficacy of intrathecal dexmedetomidine and</p>	
--	--	--

		<p>magnesium sulfate as an adjuvant to 0.5% hyperbaric bupivacaine in patients undergoing infraumbilical surgeries under spinal anesthesia. J NTR Univ Health Sci 2020;9:116-23.</p> <p>31. Jain K, Sethi SK, Gupta V, Garg DK. Efficacy of dexmedetomidine used as an adjuvant to 0.5% ropivacaine in ultrasound-guided supraclavicular brachial plexus block for upper limb surgeries. Indian Anaesth Forum 2020;21:121-8.</p> <p>32. Patodi V, Jain K, Sharma A, Singh M, Jain N, Sethi SK. Efficacy of dexmedetomidine as an adjuvant to low dose bupivacaine for postoperative analgesia in patients undergoing transurethral resection of prostate under subarachnoid block. J Evolution Med Dent Sci 2020;9(50):3794-3799, DOI: 10.14260/jemds/2020/832</p> <p>33. Jain K, Sethi SK, Sharma R. Comparison of the Efficacy of Cisatracurium and Atracurium for Neuromuscular Blockade and Recovery Characteristics in Patients undergoing Various Elective Surgeries under General Anesthesia. RUHS Journal of Health Sciences 2020; 5(4):204-12.</p> <p>34. Patodi V, Jain K, Choudhary M, Sethi SK, Jain N, Mathur V. Effect of Dexamethasone as an Adjunct on Efficacy of Ropivacaine in Caudal Block for Postoperative Analgesia in Paediatric Infra-Umbilical Surgeries: A Randomised Double-blind Controlled Study. Journal of Clinical and Diagnostic Research 2021 May;15(5):UC31-UC35.</p> <p>35. Jain N, Tada S, Sethi SK, Patodi V, Jain K, Garg DK. Dexmedetomidine with 0.5% lignocaine enhances postoperative analgesia in patients undergoing upper limb orthopedic surgeries under intravenous regional anesthesia. J NTR Univ Health Sci 2021;10:8-14.</p> <p>36. Jain N, Jain K, Prajapat H, Sethi SK, Patodi V, Khare A. Intrathecal isobaric 1% 2chloroprocaine versus hyperbaric 0.5% bupivacaine in parturients undergoing lower segment cesarean section: A randomized controlled trial. J Mahatma Gandhi Inst Med Sci 2021;26:11-7.</p> <p>37. Jain N, Pareek P, Sethi SK, Patodi V, Mathur V, Meena D. A Prospective Randomized Study to Compare Sevoflurane and Desflurane for Emergence and Recovery Characteristics in Pediatric Patients. MAMC J Med Sci 2021;00:00.(Ahead of Print)</p>	
	Dr. Ravindra Kumar Gehlot	<p>1. Kumari I, Gehlot RK, Verma R, Narang A, Verma V, Suwalka P. comparision of two different doses of dexmedetomidine added to ropivacaine in patients posted for upper limb surgery under supraclavicular brachial plexus block. Anaesth pain & intensive care 2017; 21(2):141-146.</p> <p>2. Gehlot RK, Saxena SS, Raiger LK. A prospective randomized comparative study of Proseal LMA, I-gel and Endotracheal tube in laproscopic cholecystectomy. Indian journal of clinical anesthesia. 2018; 5(1):43-49.</p> <p>3. Verma D, Gehlot RK, Goda V, Machhar M, Naithani U, Didwania D, et al. Spinal anaesthesia using isobaric levobupivacaine alone and with fentanyl for</p>	

	<p>lower abdominal surgery- a randomised double blinded controlled trial. <i>J. Evolution Med. Dent. Sci.</i> 2017; 6(36): 2968-2972.</p> <p>4. Gehlot RK, Paliwal RK, Singh S, Raiger LK. Chest x-ray for detecting pneumothorax after brachial plexus block: is it enough? <i>NJMMDR</i>.2017; 5(4):278-281.</p> <p>5. Gehlot R, Saxena SS, Kumari I, Verma V, Bidwaiker A. Post-extubation bronchospasm in an undiagnosed case of Ascariasis: anaesthetic challenges. <i>JCDR</i>.2017; 11(2):UD01-UD02.</p> <p>6. Meena KR, Gehlot RK, Bairwa B, Verma M, Amera V, Paliwal B. Isobaric ropivacaine 0.5% v/s 0.75% in spinal anaesthesia for lower limb procedures: a double blinded randomized comparative study. <i>J. Hosp. Pharmacy</i>.2017; 12(2): 77-87.</p> <p>7. Naithani U, Betkekar SA, Verma D, Gehlot RK, Sundararaj R. Pin index safety system and color coding: is it enough? <i>Ain-Shams J Anaesthesiol</i>. 2016; 9(4): 626-628.</p> <p>8. Raiger LK, Gehlot RK, Bedi V, Betkeker SA. Comparison of levobupivacaine and bupivacaine in fascia iliaca compartment block (FICB) for postoperative pain management in surgeries for fractures of neck of femur. <i>Anaesth pain & intensive care</i>.2019;23(3):284-289.</p> <p>9. Raiger LK, Tyagi G, Gehlot RK. Comparision of postoperative analgesia provided by multilevel thoracic paravertebral block using bupivacaine (0.5%) alone & with clonidine in breast surgery: a prospective double blind study. <i>EAS J Anesthesiol Crit Care</i>. 2019; 1(4): 83-87.</p> <p>10. Raiger LK, Gehlot RK, Banu A. Aero-digestive foreign bodies in tertiary care hospital of southern rajasthan: one year prospective study. <i>Indian J Anesth Anag</i>. 2019;6(2):597-604.</p> <p>11. Raiger LK, L Gokulakrishnan, Chandramohan M, Aseri A, Gehlot RK. Attenuation of pressor response to laryngoscopy and intubation: dexmedetomidine v/s fentanyl premedication. <i>Indian journal of clinical anaesthesia</i>.2018; 5(4): 486-490.</p> <p>12. Didwania D, Verma D, Avinash, Gehlot RK, Dindor BK. A randomized double blind comparative study of analgesic efficacy of different doses of intrathecal nalbuphine in patients undergoing abdominal hysterectomy. <i>MedPulse International Journal of Anesthesiology</i>. 2019;12(3):253-259.</p> <p>13. Raiger LK, Aseri A, Gehlot RK, Dave T. Comparision of ropivacaine alone and with dexmedetomidine in bilateral superficial cervical plexus block for postoperative analgesia in thyroid surgeries: a prospective double blind study. <i>International journal of anesthesiology sciences</i>. 2019;1(1):05-09.</p>	
--	--	--

		<p>14. Kuldeep A, Gehlot R, Sharma M, Jangir KG, Raiger LK. Comparision of analgesic efficacy of ropivacaine and bupivacaine in rectus sheath block for midline abdominal surgeries. Indian J Clin Anaesth 2020;7(2): 219-225.</p> <p>15. Raiger LK, Gehlot RK, Goswami S. Anaesthetic considerations in a child with Urbach Wiethe disease posted for removal of cheek swelling. Indian J Anaesth 2020; 64:982-3.</p> <p>16. Gehlot RK, Raiger LK, Verma R. Nasotracheal intubation using light wand in a patient with anticipated difficult laryngoscopy: a case report. World Journal of Advance Healthcare Research. 2021; 5(1): 143-145.</p> <p>17. Gehlot RK, Verma D, Raiger LK. A challenging case of a successful outcome of cesarean section with combined spinal- epidural technique in a parturient with Eisenmenger syndrome. Ain-Shams J Anesthesiol 13,6 (2021). https://doi.org/10.1186/s42077-021-00127-9</p> <p>18. Mathur S, Gehlot R, Bedi V, Raiger LK. A prospective randomized controlled trial to compare the efficacy of wound instillation with 0.25% bupivacaine, 0.2% ropivacaine and normal saline for postoperative analgesia in breast surgery. Indian J Clin Anaesth 2021;8(1):49-54.</p> <p>19. Verma D, Gehlot RK, Dindor BK, Jat B, Chaudhary M, Didwania D. Clinical efficacy of isobaric ropivacaine alone and with dexmedetomidine in spinal anesthesia for abdominal hysterectomy: a prospective randomised double blind study. M.E.J. ANESTH 2021;28(1):29-35.</p> <p>20. Gehlot RK, Raiger LK, Verma R. Fall in oxygen saturation and noticeable tachycardia in health care workers posted in COVID-19 intensive care unit: an observational study. International journal of scientific research 2021; 10(8):DOI : 10.36106/ijsr.</p>	
	Dr Rajeev Navaria	Verma VK, Navaria R, Naithani U, Goyal A, Das SA. Low dose spinal anaesthesia for caesarean section in parturients having pregnancy induced hypertension: Effect on haemodynamic response and vasopressor requirement: A prospective randomized double blind case control study. Indian J Clin Anaesth 2020;7(1):104-111.	
	Dr Rajeev Navaria	Rajeev Navaria, Rajendra Kumar Aseri, Hemraj Tungria. Comparative study of continuous thoracic epidural infusion of ropivacaine-fentanyl v/s bupivacaine-fentanyl in upper abdominal surgery for post operative analgesia. MedPulse International Journal of Anesthesiology. November 2020; 16(2): 41-50.	
	Dr. Khemraj Meena	Dr KR meena ,Dr RK gehlot dr B bairwa dr M verma dr V amera dr B paliwal ,Isobaric	

		ropivacaine 0.5% v/s 0.75% in spinal anaesthesia for lower limb procedure ; a double blinded randomised comparative study ,J .hospital pharmacy 12 (2) ; 77-87,April to june 2017		
	Dr. Khemraj Meena	Dr Khemraj Meena Dr Santosh ,Dr Sandeep Sharma: Evaluation of dexmedetomidine in attenuation of sympathoadrenal responses to laryngoscopy and intubation. Indian Journal of applied research july 2018		
	Dr. Khemraj Meena	Meena K, Modi MK, Tungria H , Dindor BK. The effects of intravenous paracetamol on the quality of postoperative analgesia in patients undergoing inguinal hernia repair under subarachnoid block: A prospective randomized control trial .MedPulse International Journal of Anesthesiology .Accepted Date: 14/10/2020.		
	Dr. Khemraj Meena	Dr Khemraj Meena, Dr Lalaram*, Dr Santosh Choudhary, <u>Dr Sandeep Sharma</u> , Dr Jyoti Gaekwad, Dr Indira Kumari. Evaluation of prophylactic ketamine gargle for the attenuation of postoperative sore throat following general anaesthesia with orotracheal intubation: A prospective randomized control study. IJAS 2020;2(1):11-15		
	Dr. Khemraj Meena	Dr Khemraj Meena, Dr Lalaram*, Dr Santosh Choudhary, <u>Dr Sandeep Sharma</u> , Dr Jyoti Gaekwad, Dr Indira Kumari. Evaluation of prophylactic ketamine gargle for the attenuation of postoperative sore throat following general anaesthesia with orotracheal intubation: A prospective randomized control study. IJAS 2020;2(1):11-15		
	Dr. Hemraj Tungaria	Tungaria H, Dindor BK, Raiger LK, Saxena SS, Mathur S :Anticipated Difficult Airway in Posterior Neck Swellings: A Report of Two Cases and Literature Review, International Journal of Health Sciences & Research 308 Vol.6; Issue: 3; March 2016 Kumari I, Tungeria H, Swain L, Bedi V , Sharma S, Upadhyay P. Comparison of electrostimulation guided vertical infraclavicular block vresus transarterial axillary block for upper limb orthopedics surgery ;a randomised prospective clinical study, European journal of pharmaceutical and medical research ejpmv 2016,3(11) 464-471,2016. Meena K, Modi MK, Tungria H , Dindor BK. The effects of intravenous paracetamol on		

		<p>the quality of postoperative analgesia in patients undergoing inguinal hernia repair under subarachnoid block: A prospective randomized control trial .MedPulse International Journal of Anesthesiology.Accepted Date: 14/10/2020.</p> <p>Dr. Muniram Meena, Dr Hemraj Tungria,Dr Garima Tyagi, Dr Anisha Banu, Dr Lalit Kumar Raiger: To compare analgesic efficacy of clonidine and fentanyl in supraclavicular block with 0.75% Ropivacaine. Indian Journal of Clinical Anaesthesia, October-December, 2018;5(4):518-522.</p> <p>Tungaria H, Verma AP, Khandelwal M, Verma D. A comparative evaluation of different types of hydroxylethyl starch on the blood sugar and sugar electrolytes level. Med Pulse IJA 2020 Feb; 13(2):52-60.</p>		
DR MAHESH SOMANI		Sharma S, Somani M, Chandramohan M, Raiger LK. Evaluating the effect of dexmedetomidine premedication on the quality of subarachnoid block, haemodynamics and sedation in patients undergoing lower limb surgeries: a prospective randomized controlled trial. Int J Res Med Sci 2017;5:5410-7.		
Dr. Ankush Kumar Garg		Verma D, Garg AK, Naithani U, Barya S, Bugaliya P, Sharma V.Clinical efficacy of isobaric ropivacaine alone and with fentanyl in spinal anaesthesia for vaginal hysterectomy: a prospective, randomized, comparative study.ejpmr, 2016,3(9), 223-228.		
Dr. Shweta Jain		<p>Shweta Jain, Gaurav Sharma et al, A comparative study of intrathecal fentanyl and dexmedetomidine as adjuvants to hyperbaric levobupivacaine 0.5% and hyperbaric levobupivacaine 0.5% alone in infraumbilical surgeries. Journal on recent advances in pain, may-august 2016; 2(2): 44-48.</p> <p>Shweta Jain. Comparison of two doses of Dexmedetomidine (0.25mcg/kg/hr versus 0.5mcg/kg/hr) for intravenous sedation in patients undergoing percutaneous nephrolithotomy (pcnl) under spinal anaesthesia.Medpulse International journal of Anaesthesiology. May 2021; 18(2):88-92.</p> <p>Shweta Jain. The effect of different doses of chloroprocaine 1% for low dose saddle anaesthesia in outpatient perianal surgery: a prospective randomized study. Indian</p>		

		<p>journal of Clinical anaesthesia. 8(2):270-276 Shweta Jain, Dilip Jain, Gaurav Sharma et al. Anesthetic and airway management of microstomia after lip reconstruction surgery. International Journal of Health Sciences & research. May 2016; 6(5): 392-394.</p> <p>S. Jain, N. Dogra et al Anesthetic implications in esophageal replacement surgery: a report of two cases.. Pediatric anesthesia and critical care journal 2017; 5(1): 54-57. no 6</p> <p>Shweta Jain, Saurav Agarwal et al. An unexpected improvement in cormack lehane grade by use of stylet in a case of difficult airway. ejpmr, 2017, 4(3): 484-486.</p>		