



**Head Office (BMW)**  
**Rajasthan State Pollution Control Board**  
 4, Institutional Area, Jhalana Doongari, Jaipur-302 004  
 Phone: 141-5159600 Fax: 0141-5159697



Registered

File No : F(BMW)/JAIPUR(Jaipur)/15(1)/2000-2009/6305-6307  
 Order No : 2017-2018/BMW/5926

Unit Id : 892

Date: 10/10/2017

M/s Haribux Kanwaria Government Hospital

Jaipur Tehsil: Jaipur

District: JAIPUR

Sub: Consent to Operate under section 21(4) of the Air (Prevention & Control of Pollution) Act, 1981.

Ref: Your application for Consent to Operate dated 15/05/2017 and subsequent correspondence.

Sir,

Consent to Operate under the provisions of section 21(4) of the Air (Prevention & Control of Pollution) Act, 1981, (hereinafter to be referred as the Air Act) as amended to date and rules & the orders issued thereunder is hereby granted for your Hospital situated at Tehsil: Ajmer District: Ajmer, Rajasthan, subject to the following conditions:-

1. That this Consent to Operate is valid for a period from 10/10/2017 to 30/09/2022.
2. That this Consent is granted for carrying out the following activities or operation/processes or providing following services with capacities given below.

Particular	Type	Quantity with Unit
D. G. SET	Activity	10.00 KVA
D. G. SET	Activity	25.00 KVA
D. G. SET	Activity	30.00 KVA

3. That this consent to operate is for existing service & capacity and separate consent to establish/operate is required to be taken for any addition / modification / alteration in service or change in capacity or change in fuel.
4. That the sources of air emissions along with pollution control measures and the emission standards for the prescribed parameters shall be as under:

Sources of Air Emissions	Pollution Control Measures	Prescribed	
		Parameter	Standard
DG SET( 10KVA)	ACOUSTIC ENCLOSURE , ADEQUATE STACK HEIGHT	--	--

Signature Post  
 Verdu  
 Digitally signed by  
 (M. V. A. S. S. S. S.)  
 Date: 2017.10.10  
 11:50:40 (UTC+5:30)



Head Office (BMW )  
Rajasthan State Pollution Control Board  
4, Institutional Area, Xalana Doongari, Jaipur-302  
Phone: 141-51596004 Fax: 0141-5159697



Registered

File No : F(BMW)/JAIPUR(Jaipur)/15(1)/2008-2009/6308-6310

Order No : 2017-2018/BMW/5927

Unit Id : 892

Dispatch Date: 10/10/2017

M/s Haribux Kanwalia Government Hospital

Jaipur Tehsil:Jaipur

District:JAIPUR

Sub: Consent to Establish under section 21(4) of the Air (Prevention & Control of Pollution) Act, 1981.

Ref: Your application(s) for Consent to Establish dated 15/05/2017 and subsequent correspondence.

Sir,

Consent to Establish under the provisions of section 21/(4) of the Air (Prevention & Control of Pollution) Act, 1981, (hereinafter to be referred as the Air Act) as amended to date and rules & the orders issued thereunder is hereby granted for your Hospital situated / proposed at Tehsil:Ajmer District:Ajmer , Rajasthan under the provisions of the said Act(s). This consent is granted on the basis of examination of the information furnished by you in consent application(s) and the documents submitted therewith, subject to the following conditions:-

1. That this Consent to Establish is valid for a period from 10/10/2017 to 30/09/2022 .
2. That this Consent is granted for carrying out the following activities or operation/processes or providing following services with capacities given below.

Particular	Type	Quantity / Capacity
D. G. SET	Activity	10.00 KVA
D. G. SET	Activity	25.00 KVA
D. G. SET	Activity	30.00 KVA

3. That in case of any Increase in capacity or addition / modification / alteration or change in product mix or process or raw material or fuel the project proponent is required to obtain fresh consent to establish.
4. That the control equipment as proposed by the applicant shall be installed before trial operation is started for which prior consent to operate under the provision of the Air Act shall be obtained. This consent to establish shall not be treated as consent to operate.



Form - IV  
(See rule 13)  
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	DR. LEENESHWAR HARSHVARDHAN
	(ii) Name of HCF or CBMWTF	:	HARIBOX KANWATTA HOSPITAL
	(iii) Address for Correspondence	:	ATTACHED SMS MEDICAL COLLEGE JAIPUR
	(iv) Address of Facility	:	SHASTRI NAGAR JAIPUR
	(v) Tel. No, Fax. No	:	AS ABOVE
	(vi) E-mail ID	:	0141-2304360
	(vii) URL of Website	:	hbkhospitaljaipur@gmail.com
	(viii) GPS coordinates of HCF or CBMWTF	:	-
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: 2008-2009/6305-6307 Date: 10.10.2017 valid up to 31.05.2018
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: 10.10.2017 TO 30.9.2022
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 200
	(ii) Non-bedded hospital	:	
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	Raj - 2602   10.2.2018 10.2.18 TO 09.02.2023
	(iii) License number and its date of expiry	:	NO
3.	Details of CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	one
	(ii) No of beds covered by CBMWTF	:	200
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	- Kg per day

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF :	— Kg/day		
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis) :	Yellow Category : 644.66 Kgs APPROX		
		Red Category : 375.83 Kgs APPROX		
		White: —		
		Blue Category : 333.16 Kgs APPROX		
General Solid waste:				
5	Details of the Storage, treatment, transportation, processing and Disposal Facility			
(i) Details of the on-site storage facility :	Size :	15 X 10 Ft.		
	Capacity :			
	Provision of on-site storage : (cold storage or any other provision)			
(ii) Details of the treatment or disposal facilities :	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum
	Incinerators	—	NA	
	Plasma Pyrolysis	—	NA	
	Autoclaves			
	Microwave			
	Hydroclave			
	Shredder			
	Needle tip cutter or destroyer		NA	
	Sharps encapsulation or concrete pit			
	Deep burial pits:			
Chemical disinfection:				
Any other treatment equipment:				
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum. :	Red Category (like plastic, glass etc.)			
	NA			
(iv) No of vehicles used for collection and transportation of biomedical waste :				
	ONE			
(v) Details of incineration ash and ETP sludge generated and disposed :	NA	Quantity generated	Where disposed	

	during the treatment of wastes in Kg per annum	Incineration Ash ETP Sludge	NA
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	INSTOMEDIX INDIA PVT. LTD.
	(vii) List of member HCF not handed over bio-medical waste.		NA
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		YES
7	Details trainings conducted on BMW		LIST ENCLOSED
	(i) Number of trainings conducted on BMW Management.		ONE
	(ii) number of personnel trained		20
	(iii) number of personnel trained at the time of induction		20
	(iv) number of personnel not undergone any training so far		NIL
	(v) whether standard manual for training is available?		YES
	(vi) any other information		-
8	Details of the accident occurred during the year		NIL
	(i) Number of Accidents occurred		NIL
	(ii) Number of the persons affected		NIL
	(iii) Remedial Action taken (Please attach details if any)		NIL
	(iv) Any Fatality occurred, details.		NIL
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA
	Details of Continuous online emission monitoring systems installed		HOSPITAL IS ATTCHED WITH SMS MEDICAL COLLEGE JAIPUR. THE PAGE OF HOSPITAL IS ON SMS MEDICAL COLLEGE WEB SITE
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		NIL
11	Is the disinfection method or sterilization meeting the log 4		NIL



	standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator) NIL

Certified that the above report is for the period from


..... 01.01.2018 TO 31.12.2018 .....

.....

.....

उत्तराखण्ड

Name and Signature of the Head of the Institution



चिकित्सक संस्थान  
एच.बी.जी. एन. आर. मेमोरियल  
एच.बी.जी. एन. आर. मेमोरियल संस्थान, जयपुर

Date: 16.5.2019

Place Jaipur.